

Ceiling Lighting PATH2



- Easy installation
- Smooth continuous lighting
- Continuous run installation

Ceiling Lighting


PATH2



- Even light distribution
- Tool-less slide-in structure for easy installation
- Continuous run installation
- Dimmable, 1-10V dimming to 10%-100%
- Max. linkable length: 160' per run @120VAC, 300' per run @277VAC
- Lifetime: 50,000hrs (ta=95°F, 35°C)
- Ta: -4°F~95°F (-20 C~35°C)
- Material: Aluminum alloy
- 10W/ft, 1250lm/ft
- Other color temp available



Dimensions: inches, (mm)



How to order using our catalog numbers
Example: PATH2-4830K


Series	Length	CCT (K)	Beam Angle	Finish	Installation
PATH2	48 - 47.2" (1200mm) 95 - 94.4" (2398mm)	30K - 3000K 40K - 4000K	[blank] - 140°	[blank] - Natural Aluminum	[blank] - Pendant

Specifications

Catalog No.	Model	Rated Input (VAC)	Ra	Power (W)	Luminous flux (TYP@4000K)lm
PATH2-4830K	PATH2-L120-277V	120-277	85	40	5000
PATH2-4840K					
PATH2-9530K	PATH2-L240-277V	120-277	85	80	10000
PATH2-9540K					

* Included: 1 pc led fixture, 2 pcs mounting clips, 2 pcs end caps.
* 2 aircraft cables are needed for both 4' and 8' lighting fixture.


Photometrics



Ceiling Lighting

PATH2/PATH VISION

Accessories

Catalog No.	Description	Length	N.W. (lb)
PFC15-PT	 <p>Power feed cord 12/3 SJT , including 10 pcs tie wraps</p>	15ft	
PFA-PT	 <p>X1</p> <p>Power feed assembly, including cable coupler (threaded for 1/4-20 stud), cable holder with screw and washer, cable(15'), 1/4-20 hanger bolt, junction box cross bar and 5" ceiling plate canopy with opening in the ceiling plate for the power cord, without power cord</p>	15ft	
ACP-PT	 <p>X1</p> <p>Aircraft cable pack, including cable coupler (threaded for 1/4-20 stud), cable holder with screw and washer, cable(15'), 1/4-20 hanger bolt, junction box cross bar and 5" ceiling plate canopy.</p>	15ft	
AC15-PT	 <p>X1</p> <p>Aircraft cable without ceiling plate canopy</p>	15ft	


Ceiling Lighting

PATH2/PATH VISION


Accessories

Catalog No.	Description	Length (inch)	N.W. (lb)
MC-PATH (included)	 Mounting bracket	X2	

Accessories(optional)

Catalog No.	Description	Length (inch)	N.W. (lb)
HC-PATH2	 Hard Connector		

Installation



Continuous run installation

